

E




D

C

B

A

MM DIMENSIONS IN METRIC DO NOT SCALE DRAWING



RECOMMENDED PC BOARD HOLE DIMENSION

43.56	46.76	39-28-1125	5238-12D	12
39.6	42.8	↑ - 1115	↑ - 11D	11
35.64	38.84	↑ - 1105	↑ - 10D	10
31.68	34.88	- 1095	- 09D	9
27.72	30.92	- 1085	- 08D	8
23.76	26.96	- 1075	- 07D	7
19.8	23	- 1065	- 06D	6
15.84	19.04	- 1055	- 05D	5
11.88	15.08	- 1045	- 04D	4
7.92	11.12	↓ - 1035	↓ - 03D	3
3.96	7.16	39-28-1025	5238-02D	2
B	(A)	EDP.NO.	ENG.NO.	NO. OF CKTS.

角度 ANGLE	±3°				
30以上 OVER	±0.3				
10以上 30未満 UNDER	±0.25				
10未満 UNDER	±0.2				
一般公差 GENERAL TOLERANCES		記号 LTR	変更内容 REVISION RECORD	DR. / CHK.	日付 DATE
		A	REDRAWN (LC78307)	H.I. / M.F.	'96/06/13

材料 MATERIAL	WAFER: 66NYLON,UL94V-2
PIN:BRASS, TIN OVER COPPER PLATING	
仕上げ FINISH	//
適用電線範囲 WIRE RANGE	//
被覆外径 INS. RANGE	//
DRAWN BY '96/06/13	CHK'D BY '96/06/13
H.IIJIMA	M.FUKUSHIMA
APP'D BY '96/06/13	尺度 SCALE 4 : 1
M.ENOMOTO	

**molex** MOLEX-JAPAN CO.,LTD.  
日本モレックス株式会社

REVISE ONLY ON CAD SYSTEM

TITLE 名称  
KK 3.96 WAFER ASS'Y WITH LOCK

DWG. NO. SD-5238-ND

REV A